

Changzhou Modar Intelligent Technology Co.,Ltd

Xunheng Network, 3th floor, E-commerce Park, No.51 Zhulin West Road, Tianning district, Changzhou, Jiangsu, China, 213000

45ZYT brush DC Motor

Environmental conditons:

-20℃~40℃

Insulation Class:

StageB StageF




Electrical Specifications

Model	Voltage	RATED LOAD				Body Length
		speed	Torque	Current	Power	
Model	V	rpm	Nm	A	W	L:mm
45ZYT-01A24	24	2300	0.12	2	30	81
45ZYT-02A24	24	2000	0.1	1.5	25	81
45ZYT-03A24	24	2500	0.15	3	35	81
45ZYT-04A24	24	1800	0.07	3	20	81
45ZYT-01A12	12	1000	0.1	3	28	81

★We also manufacture products according to customer's requirements.

Mechanical Dimensions



Changzhou Modar Intelligent Technology Co.,Ltd

Xunheng Network, 3th floor, E-commerce Park, No.51 Zhulin West Road, Tianning district, Changzhou, Jiangsu, China, 213000

60ZYT brush DC Motor



Environmental conditons:

-20°C~40°C

Insulation Class:


StageB StageF

Electrical Specifications

Model	Voltage	RATED LOAD				Body Length
		speed	Torque	Current	Power	
Model	V	rpm	Nm	A	W	L:mm
60ZYT-01B24	24	2800	0.35	5	50	111
60ZYT-02B24	24	3000	0.25	4	35	111
60ZYT-03B24	24	2500	0.35	4.5	60	135
60ZYT-04B24	24	3000	0.4	8	70	160
60ZYT-05B24	24	3500	0.3	5.5	60	150

★We also manufacture products according to customer's requirements.

Mechanical Dimensions



Changzhou Modar Intelligent Technology Co.,Ltd

Xunheng Network, 3th floor, E-commerce Park, No.51 Zhulin West Road, Tianning district, Changzhou, Jiangsu, China, 213000

63ZYT brush DC Motor

Environmental conditons:

-20℃~40℃

Insulation Class:

StageB StageF




Electrical Specifications

Model	Voltage	RATED LOAD				Body Length
		speed	Torque	Current	Power	
Model	V	rpm	Nm	A	W	L:mm
63ZYT-01A24	24	1700	0.15	2	35	110
63ZYT-02A24	24	3000	0.15	2	30	115
63ZYT-03A24	24	2100	0.2	3	40	125
63ZYT-04A24	24	3200	0.4	10	130	170
63ZYT-05A24	24	3000	0.17	7.5	55	135
63ZYT-06A24	24	1600	0.1	1.5	25	95

★ We also manufacture products according to customer's requirements.

Mechanical Dimensions



Changzhou Modar Intelligent Technology Co.,Ltd

Xunheng Network, 3th floor, E-commerce Park, No.51 Zhulin West Road, Tianning district, Changzhou, Jiangsu, China, 213000

80ZYT brush DC Motor

Environmental conditons:

-20°C~40°C

Insulation Class:

StageB StageF





Electrical Specifications

Model	Voltage	RATED LOAD				Body Length
		speed	Torque	Current	Power	
Model	V	rpm	Nm	A	W	L:mm
80ZYT-01A24	24	2500	0.45	8	120	145
80ZYT-02A24	24	1200	0.45	5	55	145
80ZYT-01A12	12	1800	0.25	10	60	145
80ZYT-03A24	24	3000	0.55	12	160	145

★We also manufacture products according to customer's requirements.

Mechanical Dimensions



Changzhou Modar Intelligent Technology Co.,Ltd					
Xunheng Network, 3th floor, E-commerce Park, No.51 Zhulin West Road, Tianning district, Changzhou, Jiangsu, China, 213000					
63mm Air Damper DC Motor					
Environmental conditons:		-20℃~40℃			
Insulation Class:		StageB StageF			
Electrical Specifications					
Model	Voltage	RATED LOAD			
		speed	Torque	Current	Power
Model	V	rpm	Nm	A	W
63001	12	1500	0.26	3.2	40
★We also manufacture products according to customer's requirements.					
Mechanical Dimensions					
					

Changzhou Modar Intelligent Technology Co.,Ltd

Xunheng Network, 3th floor, E-commerce Park, No.51 Zhulin West Road, Tianning district, Changzhou, Jiangsu, China, 213000

76mm Air Damper DC Motor

Environmental conditons:

-20℃~40℃

Insulation Class:

StageB StageF






Electrical Specifications

Model	Voltage	RATED LOAD			
		speed	Torque	Current	Power
Model	V	rpm	Nm	A	W
70001	12	3600	0.1	4.4	38
70002	13.5	3600	0.45	15	165
70003	13.5	3950	0.43	17	175

★ We also manufacture products according to customer's requirements.

Mechanical Dimensions



Changzhou Modar Intelligent Technology Co.,Ltd

Xunheng Network, 3th floor, E-commerce Park, No.51 Zhulin West Road, Tianning district, Changzhou, Jiangsu, China, 213000

83mm Air Damper DC Motor



Environmental conditons:

-20°C~40°C

Insulation Class:


StageB StageF

Electrical Specifications

Model	Voltage	RATED LOAD			
		speed	Torque	Current	Power
Model	V	rpm	Nm	A	W
83001	12	3500	0.224	9	80
83002	12	4500	0.22	15	100

★We also manufacture products according to customer's requirements.

Mechanical Dimensions



Changzhou Modar Intelligent Technology Co.,Ltd

Xunheng Network, 3th floor, E-commerce Park, No.51 Zhulin West Road, Tianning district, Changzhou, Jiangsu, China, 213000

105mm Air Damper DC Motor

Environmental conditons:

-20℃~40℃

Insulation Class:

StageB StageF



Electrical Specifications

Model	Voltage	RATED LOAD			
		speed	Torque	Current	Power
Model	V	rpm	Nm	A	W
105001	12	5500	0.21	12.5	120

★We also manufacture products according to customer's requirements.

Mechanical Dimensions

